TABLE OF CONTENTS

	Pages
ABSTRACT (ENGLISH)	**ii**
ABSTRACT (THAI)	**iv**
ACKNOWLEDGEMENTS	**vi**
TABLE OF CONTENTS	**vii**
LIST OF TABLES	**x**
LIST OF FIGURES	**xi**
CHAPTER	
1 Introduction	**1**
Background	1
Objective	1
Scope of the study	3
Definition of Terms	4
Benefit of the study	5
Abbreviations	5
2 Review of Related Literature	**8**
Current electrical power transmission systems	8
Smart Grid: Future electrical system	9
Thailand Power System	14
Photovoltaic System	15
Architecture and power flow of the system	23

TABLE OF CONTENTS (Cont.)

Pages

CHAPTER

Array digital record 26

Software Development Life Cycle 30

SDLC Models 31

3 Research Methodology **34**

Case I: Determining Energy / Power Flow Algorithm 36

Power flow and identification algorithm design 37

Building power flow algorithm 38

Overall power flow algorithm 39

Power unit (kWh) identification algorithm 42

Case II: Developing Power Exchange Software 43

Photovoltaic system installation 43

Server specification 46

Database design 49

System configuration 50

Data collecting 51

Programming language 52

4 Result and Discussion **53**

Case I: Energy / Power Flow Algorithm 53

Building Demand 54

Building Supply 55

TABLE OF CONTENTS (Cont.)

	Pages
CHAPTER	
Demand / Supply Algorithm	56
Case II: Power Exchange Software	63
Building management	63
Centralized management	66
Result of Power Exchange Software	69
Power consumption VS Photovoltaic behavior	69
Building and overall power flow decision	77
Monthly energy cost with power identification	76
Group of building for paying the money	79
Group of building for receiving the money	81
Summary of the electricity using at SEEN	82
5 Conclusion and Recommendations	**84**
Conclusion	84
Recommendations	87
Future woks	88
REFERENCES	**89**
BIOGRAPHY	**94**

LIST OF TABLES

Pages

Table

2.1 Types of solar cell technologies and their efficiencies 15

3.1 Building power demand and production capacity 36

3.2 Building name and production capacity 44

3.3 Electrical data of SHARP model: ND-AA250 45

3.4 Server specification of the system 46

3.5 Modbus data logger specification in the model DL-NET-1 51

4.1 Overall power exchange between Testing and 10 kW PV building. 59

4.2 Overall power exchange between Service & Seminar and High Temp building 61

4.3 Building 6 real-time power/energy information in the software. 65

4.4 Real-time status in the building 8 as show in Fig. 4.4 68

4.5 Power flow in the demand building groups 73

4.6 Power flow from supply building groups. 75

4.7 Group of the buildings for paying the money 79

4.8 Group of the buildings for receiving the money 81

LIST OF FIGURES

Figure		Pages
2.1	Diagram of the electrical transmission system.	8
2.2	Smart grid concepts in the future	10
2.3	Technology developments in the part of smart grid concept	12
2.4	Structure of the Thai Power System	14
2.5	Architecture of the RE system in the building	23
2.6	Architecture of the power flow in the communities	24
2.7	Six steps for SDLC concept	30
2.8	Diagrammatic representation of different phases of waterfall model	32
3.1	Flow chart of research methodology	35
3.2	Building schematic electric line diagram at SERT	37
3.3	Block diagram buildings and overall power flow algorithm.	39
3.4	Flowchart diagram of the overall load balancing algorithm	41
3.5	Sorting and matching power unit identification algorithm	42
3.6	Eleven building at SEEN have been installed the 500 kW Photovoltaic rooftop	45
3.7	ER Diagram of the database design	49
3.8	Diagram of the simulation software system	51
3.9	Typical of Modbus data logger installation in the system	52
3.10	Client & Server connection concept in the web base technology	52

4.1 Load profiles of High Temp building 54

LIST OF FIGURES (Cont.)

Pages

Figure

4.2 Photovoltaic performance curve of Service & Seminar building 55

4.3 Load profiles and Photovoltaic performance of Testing building 56

4.4 Load profiles and Photovoltaic performance of 10 kW PV building ... 56

4.5 Net metering curve of the Testing building 57

4.6 Net metering curve of the 10 kW PV building 58

4.7 Net metering after 10 kW PV building exchange power to Testing building 60

4.8 Net metering after 1High Temp building exchange power to Service & Seminar building 62

4.9 Building management in the software 64

4.10 Source of power in the building unit 66

4.11 Overall routing of power flow in the simulation software 67

4.12 Monthly real-time cost calculations 68

4.13 Load profiles and Photovoltaic performance of building 1 70

4.14 Load profiles and Photovoltaic performance of building 5 70

4.15 Overall real-time power flow in the system 72

4.16 Net metering of the eleven buildings 73

4.17 Example result of the demand power routing in the building 3 74

4.18 Example result of the supply power routing in the building 10 76

LIST OF FIGURES (Cont.)

Pages

Figure

4.19 Amount of energy consumption and energy production in the eleven buildings 77

4.20 Amount of net metering in the eleven buildings 78

4.21 Example result of the power unit identification algorithm in the building 1 for spending the money to another building..... 80

4.22 Example result of the power unit identification algorithm in the building 10 for receiving the money to another building 82

4.23 The ratio of the energy selling between inside and outside community . 83

4.24 The ratio of energy production and energy consumption of each building..... 83

4.25 The ratio of total energy consumption and energy production of building at SEEN 84