

บรรณานุกรม

- ทาริกา สุทธสม, วิณัน บัณฑิตย์, และ ธวัชชัย รัตน์ชเลศ. (2552). การศึกษาลักษณะสัณฐานของมะม่วงเขียวมรกตสายต้นคัด. *วารสารเกษตร*, 25(3), 201-209.
- นพวัฒน์ เฟ็งคำศรี, จัตุพล กันทะมูล, ภัทรภรณ์ ไตรวัฒนกิจ, วชิรวิทย์ วงศ์ชารัฐ, วนิดา ใจหมั่น, นิภาพร เมืองจันทร์ และ สุภารัตน์ จันทร์ เหลือง. (2556).ฤทธิ์ต้านอนุมูลอิสระของสารสกัดเหง้าข่าลิง. *Thai Pharm Health Sci J*. 6(3), 195-201.
- รัตนา อินทรานุกกรณ์. (2547). การตรวจสอบและการสกัดแยกสารสำคัญจากสมุนไพรร. กรุงเทพฯ: สำนักพิมพ์แห่ง จุฬาลงกรณ์มหาวิทยาลัย. หน้า 63-79.
- ศรินรัตน์ ฉัตรธีระนันท์, วรางคณา สบายใจ และ สิริมาส นิยมไทย. (2556). การทดสอบองค์ประกอบทางพฤกษเคมี และฤทธิ์ต้านออกซิเดชันของใบช่อยดำ. *ว.วิทย์. มข.* 41(3), 723-730.
- Adeneye, A. A., Awodele, O., Aiyeola, S. A., & Benebo, A. S. (2015). Modulatory potentials of the aqueous stem bark extract of *Mangifera indica* on carbon tetrachloride-induced hepatotoxicity in rats. *Journal of traditional and complementary medicine*, 5(2), 106-115.
- Ahmed, A., Saeid, D., Eman, A. and Reham, E. (2007) Egyptian mango by-product. 1: Compositional quality of mango seed kernel. *Food Chemistry*, 103, 1141–1152.
- Ajila, C.M., Bhat, S.G., & Rao, UJSP. (2007). Valuable components of raw and ripe peels from two Indian mango varieties. *Food Chem*, 102, 1006–1011.
- Al zaben, K. (2009). Induction of Diabetes Mellitus in Rats Using Intraperitoneal Streptozotocin: A Comparison between 2 Strains of Rats. *European Journal of Scientific Research*, 32, 398-402.
- Alam, M.A., Zaidul, I., Ghafoor, K., Sahena F, Hakim M.A., Rafii, M.Y., Abir H.M., Bostanudin, M.F., Perumal, V., & Khatib, A. (2017). In vitro antioxidant and, α -glucosidase inhibitory activities and comprehensive metabolite profiling of methanol extract and its fractions from *Clinacanthus nutans*. *BMC Complement Altern Med*, 17, 181.
- AOAC International. (2019). Latimer G.W. (ed). AOAC Official Methods of Analysis 21st ed., Rockville: AOAC International.
- Ayoola, G.A., Coker, H.A.B., Adesegun, S.A., Adepoju-Bello, A.A., Obaweya, K., Ezennia, E.C., and Atangbayila, T.O. (2008). Phytochemical screening and antioxidant activities of some selected medicinal plants used for malaria therapy in southwestern Nigeria. *Trop J Pharm Res*, 7(3), 1019-1024.

- De Castro MD, & Ayuso LE. (2000). Soxhlet extraction. *Environmental Applications*, 2701–5.
- Emmanuel A. I., Ganiyu O. & Afolabi A. A. (2016). Antidiabetic effects of *Mangifera indica* Kernel Flour-supplemented diet in streptozotocin-induced type 2 diabetes in rats. *Food Science & Nutrition*, 4(6), 828–839.
- GM Masud Parvez. (2016). Pharmacological Activities of Mango (*Mangifera Indica*): A Review. *Journal of Pharmacognosy and Phytochemistry*, 5(3), 01-07.
- Gondi, M., Basha, S. A., Bhaskar, J. J., Salimath, P. V., & Rao, U. J. (2015). Anti-diabetic effect of dietary mango (*Mangifera indica* L.) peel in streptozotocin-induced diabetic rats. *J Sci Food Agric*, 95(5), 991-999.
- Gondi, M., & Rao P. (2015). Ethanol extract of mango (*Mangifera indica* L.) peel inhibits α -amylase and α -glucosidase activities, and ameliorates diabetes related biochemical parameters in streptozotocin (STZ)-induced diabetic rats. *Journal of food science and technology*, 52(12), 7883-7893.
- Hadzadeh, M. A. R., Alikhani, V., Hosseinian, S., Zarei, B., & Keshavarzi, Z. (2018). The effect of melatonin against gastric oxidative stress and dyslipidemia in streptocin-induce diabetic rats. *Acta endocrinologica (Bucharest, Romania : 2005)*, 14(4), 453-458.
- Hanchang, W., Khamchan, A., Wongmanee, N., & Seedadee, C. (2019). Hesperidin ameliorates pancreatic β -cell dysfunction and apoptosis in streptozotocin-induced diabetic rat model. *Life Sciences*, 235, 116858.
- Irondi, A. E., Oboh, G. A. A. Akindahunsi, B. A. A., & Athayde M. L. (2014). Phenolic composition and inhibitory activity of Mango and Horse-eye bean seeds extracts against key enzymes linked to the pathology and complications of type 2 diabetes. *Asian Pac. J. Trop. Biomed.* 4, 903–910.
- Keerthana, G., Kalaivani, M. K. and Sumathy, A. (2013). *In-Vitro* alpha amylase inhibitory and anti-oxidant activities of ethanolic leaf extract of *Croton bonplandianum*. *Asian Journal of Phamaceutical and Clinical Research*, 6(4): 32-36.
- Kittiphoom, S. (2012). Utilization of Mango seed. *International Food Research Journal*, 19(4): 1325-1335.
- Kobayashi, M. , Matsui-Yuasa, I. , Fukuda-Shimizu, M. , Mandai, Y. , Tabuchi, M. , Munakata, H. and Kojima-Yuasa, A. (2013). Effect of mango seed kernel extract on the adipogenesis in 3T3-L1 adipocytes and in rats fed a high fat diet. *Health*, 5(8), 9-15.
- Lapolla, A., Traldi, P., & Fedele, D. (2005). Importance of measuring products of non-enzymatic glycation of proteins. *Clin Biochem*, 38(2), 103-115.

- Lenzen, S. (2008). The mechanisms of alloxan- and streptozotocin-induced diabetes. *Diabetologia*, 51(2), 216-226.
- Li, W., Wang, G., Lu, X., Jiang, Y., Xu, L., & Zhao, X. (2014). Lycopene ameliorates renal function in rats with streptozotocin-induced diabetes. *International journal of clinical and experimental pathology*, 7(8), 5008-5015.
- Masibo, M. & He, Q. (2008). Major Mango Polyphenols and Their Potential Significance to Human Health. *Comprehensive Reviews in Food Science and Food Safety*, 7, 309-319.
- Noor, A., Gunasekaran, S., & Vijayalakshmi, M. A. (2017). Improvement of Insulin Secretion and Pancreatic β -cell Function in Streptozotocin-induced Diabetic Rats Treated with Aloe vera Extract. *Pharmacognosy research*, 9(Suppl 1), S99-S104.
- Pinsirodom, P., Taprap, R. & Parinyapatthanaboot, T. (2018). Antioxidant activity and phenolic acid composition in different parts of selected cultivars of mangoes in Thailand. *IFRJ*, 25(4): 1435-1443.
- Shah, K. A., Patel, M. B., Patel, R. J., & Parmar, P. K. (2010). *Mangifera indica* (mango). *Pharmacognosy reviews*, 4(7), 42-8.
- Soong, Y.Y. & Barlow, P.J. (2006). Quantification of gallic acid and ellagic acid from longan (*Dimocarpus longan* Lour.) seed and mango (*Mangifera indica* L.) kernel and their effects on antioxidant activity. *Food Chemistry*. 97(3). 524-530.
- Sullivan D. M. & Carpenter D. E. (1993). *Methods of analysis for nutrition labeling*. Arlington, VA: AOAC International
- Tan, S.K., Osman, H., Wong, K.C., Boey, P.L., and Ibrahim, P. (2009). Antimicrobial and antioxidant activities of *Swietenia macrophylla* leaf extracts. *Asian Journal of Food and Agro-Industry*. 2(2), 181-188.
- Thomas, J.H., Priyadarshini G. and Michael T. (2012) High-throughput micro plate assays for screening flavonoid content and DPPH-scavenging activity in sorghum bran and flour, *J Sci Food Agric*. 92, 2326–2331.
- Trease, G.E., and Evans, W.C. (2002). *Pharmacognosy*. 15th ed. Edinburgh: W.B. Saunders. pp. 303-306.
- Yazdi, H. B., Hojati, V., Shiravi, A., Hosseini, S., Vaezi, G., & Hadjzadeh, M.-A.-R. (2019). Liver Dysfunction and Oxidative Stress in Streptozotocin-Induced Diabetic Rats: Protective Role of *Artemisia Turanica*. *Journal of pharmacopuncture*, 22(2), 109-114.
- Zierath, J. R., Krook, A., & Wallberg-Henriksson, H. (2000). Insulin action and insulin resistance in human skeletal muscle. *Diabetologia*, 43(7), 821-835.